CLINICA CHIMICA ACTA
Vol. 40 (1972)

BLANK
PAGE

CLINICA CHIMICA ACTA

INTERNATIONAL MONTHLY OF CLINICAL CHEMISTRY

Vol. 40 (1972)

Sponsored by the following National Societies:

Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, *Switzerland*

Editors:
S. C. Frazer, Aberdeen

for the Americas – M. Rubin, Washington, D.C.
for the British Commonwealth – R. Gaddie, Birmingham
for all other territories, including Europe – E. J. van Kampen, Groningen

Editorial Secretary:
Th. Strengers, P.O. Box 4073, Amsterdam, The Netherlands

ELSEVIER PUBLISHING COMPANY
AMSTERDAM

All rights reserved: COPYRIGHT © 1972 BY ELSEVIER PUBLISHING CO., AMSTERDAM

PRINTED IN THE NETHERLANDS

CLINICA CHIMICA ACTA Vol. 40 (1972)

AUTHOR INDEX

ADESSI, G., GOUTTE, C., LALLIER, J. C., JAYLE, M. F.
(Procédé original d'évaluation rapide et spécifique du prégnandiol urinaire) . . 399

ALLEGRI, G., MUGGEO, M., DE ANTONI, A., COSTA, C., CREPALDI, G.
(The influence of simultaneous administration of vitamin B_6 and nicotinamide on tryptophan metabolism in Hodgkin's disease) 258

ALLEN, R. C. see MAURER, H. R. 359

AMIC, J., LAIRON, D., HAUTON, J.
(Technique de dosage automatique de l'orthophosphate de grande fiabilité) . . 107

ANDRÉ, C. M., JAMES, V. H. T.
(A method for the assay of testosterone and androstenedione in human female plasma by competitive protein binding) 325

DE ANTONI, A. see Allegri, G. 258

BAIN, A. D. see BUTTERWORTH, J. . . . 139

BALAZS, N. D. H., POLE, D. J., MASAREI, J. R.
(Determination of gold in body fluids by atomic absorption spectrophotometry) 213

BARANOWSKI, T. see KWIATOWSKA, J. . . 101

BELL, D. J., TALUKDER, M. Q.-K.
(Rates of urinary excretion of free aldopentoses and fucose by fasting healthy adults: effects of ingested pentose-containing foods) 13

BERGLUND, S. see JEPPSSON, J. O. . . . 153

BIEWENGA, J.
(Serum lactate dehydrogenase isoenzymes linked to immunoglobulin A) . . 407

BJÖRKSTÉN, F.
(Determination of plasma and serum triglycerides with a fully automated method) 143

BOELHOWER, J. see MIEDMA, K. 187

BONFILS, S. see VATIER, J. 391

BONNICHSEN, R., FRI, C.-G., NEGOITA, C., RYHAGE, R.
(Identification of methaqualone metabolites from urine extract by gas chromatography-mass spectrometry) . . . 309

BOREISHA, I. see PESCE, A. J. 27

BOSCHETTI E. see DUGUE, M. 301

BROUET-YAGER, M. see KLEINER, H. . . 177

BUTTERWORTH, J., SCOTT, F., MCCRAE, W. M., BAIN, A. D.
(Lysosomal enzymes of cultured fibroblasts of cystic fibrosis patients) 139

CHAMOLES, N. A. see HUMBEL, R. 290

CHING, K.-N., KARAM, J. H., CHOY, F. B., KOLB, F. O., GRODSKY, G. M., FORSHAM, P. H.
(Hyperinsulinuria in patients with renal calculi) 383

CHOY, F. B. see CHING, K.-N. 383

COONEY, D. A., MOORE, A. L., ZHAGATS, R.
(A colorimetric technique for the demonstration of L-asparaginase in electropherograms) 249

COSTA, C. see ALLEGRI, G. 258

COULSON, W. F. see DAYMAN, J. 335

CREPALDI, G. see ALLEGRI, G. 258

CROOK, D.
(The routine measurement of urinary 17-oxosteroids and 17-oxogenic steroids using gas-liquid chromatography) . . . 43

DAYMAN, J., COULSON, W. F., SMITH, I., SMITH, M. J., JEPSON, J. B.
(Chemical conversions of aromatic amides during electrolytic desalting) . . 335

DELBROECK, R. see LAUWERYS, R. . . . 443

DENNIS, P. M. see OUTCH, K. F. 377

DENSWIL, E. H., DETMERS, J. P.
(Acetone as solvent in flame-photometric determination of lithium in serum) . 121

DETMERS, J. P. see DENSWIL, E. H. . . . 121

DORCHE, J. see PICCARDI, G. 219

DRAFFAN, G. H. see GOMPERTZ, D. . . . 5

DRIVAS, G. see MELISSINOS, K. 165

DUBRASQUET, M. see VATIER, J. 391

DUGUE, M., BOSCHETTI, E., TIXIER, R., ROUSSELET, F., GIRARD, M. L.
(Identification des fractions protéiques separées par électrophorése du sérum humain sur gel d'acrylamide-agarose) . 301

EL-RAZIKY, E.-H. see KHAFAGY, E. Z. . . 371

ELDJARN, E., JELLUM, E., STOKKE, O.
(Pyroglutamic aciduria: studies on the enzymic block and on the metabolic origin of pyroglutamic acid) 461

ERIKSSON, Ö., GINSBURG, B. E., HULTBERG, B., ÖCKERMAN, P. A.
(Influence of age and sex on plasma acid

hydrolases) 181
EXNER, T., KOPPEL, J. L.
(An improved method for determining the fibrinogen clotting time) 347
FIFIELD, R. D. see SKILLEN, A. W. . . . 21
FORSHAM, P. H. see CHING, K.-N. 383
FRI, C.-G. see BONNICHSEN, R. 309
GAL, I. see PARKINSON, C. E. 83
GARG, L. C. see VOGH, B. P. 431
GERRARD, J., KOHN, J., TURNER, M. W.
(A non-immunoglobulin γ-protein of human serum present in increased amounts in patients with severe burns) . 243
GINSBURG, B. E. see Eriksson, Ö. 181
GIRARD, M. L. see DUGUE, M. 301
GOMPERTZ, D., DRAFFAN, G. H.
(The gas-chromatographic diagnosis of intermittent maple syrup urine disease (branch-chain ketoaciduria)) 5
GOODWIN, B. L., KAROUM, F., RUTHVEN, C. R. J., SANDLER, M.
(Sources of contamination during a GLC-electron capture detection assay of phenolic alcohols) 269
GORDON, A. J. see SMITH, I. 415
GOUTTE, C. see ADESSI, G. 399
GRODSKY, G. M. see CHING, K.-N. . . . 383
DE GROOT, W. P. see RIETRA, P. J. G. M. 229
GUPTA, D., PFEIFFER, H., ZIMPRICH, H.
(Urinary androgens under stimulation-suppression tests in children with gonadal dysgenesis) 205
HAIS, I. M. see MARKLOVÁ, E. 455
HASHINOTSUME, M. see HIGASHINO, K. . . 67
HASHINOTSUME, M. see HIGASHINO, K. . 305
HAUTON, J. see AMIC, J. 107
HIGASHINO, K., HASHINOTSUME, M., YAMAMURA, Y.
(Effect of neuraminic acid removal on the properties of a variant alkaline phosphatase in hepatoma) 305
HIGASHINO, K., HASHINOTSUME, M., KANG, K.-Y., TAKAHASHI, Y., YAMAMURA, Y.
(Studies on a variant alkaline phosphatase in sera of patients with hepatocellular carcinoma) 67
HRNČÍŘ, Z., TICHÝ, M., VAŇÁSEK, J.
Monoclonal IgG-L gammapathy in the synovial fluid in rheumatoid arthritis) . 237
HUISMAN, T. H. J.
(Chromatographic separation of hemoglobins A_2 and C. The quantities of hemoglobin A_2 in patients with AC trait, CC disease and C-β thalassemia) 159
HÜLSMANN, W. C. see KOSTER, J. F. . . 294
HULTBERG, B. see ERIKSSON, Ö. 181
HUMBEL, R., CHAMOLES, N. A.
(Sequential thin layer chromatography of urinary acidic glycosaminglycans) . . . 290
HVIDBERG, E. see LARSEN, N.-E. 171
IBBOTT, F. A. see WYBENGA, D. R. 121
IYNER, G. Y. N. see RAMACHANDRAN, M. 281
JAMES, V. H. T. see ANDRÉ, C. M. . . . 325
JAYLE, M. F. see ADESSI, G. 399
JELLUM, E. see ELDJARN, E. 461
JEPPSSON, J. O., BERGLUND, S.
(Thin-layer isoelectric focusing for haemoglobin screening and its application to haemoglobin malmö) 153
JEPSON, J. B. see DAYMAN, J. 335
KANG, K.-Y. see HIGASHINO, K. 67
KAR, N. C., PEARSON, C. M.
(Acyl phosphatase in normal and diseased human muscle) 262
KAR, N. C., PEARSON, C. M.
(Acid hydrolases in normal and diseased human muscle) 341
KARAM, J. H. see CHING, K.-N. 383
KAROUM, F. see GOODWIN, B. L. 269
KELLOW, A. H. see SMITH, I. 353
KHAFAGY, E. Z., OSMAN, H. G., EL-RAZIKY, E.-H., SHALABY, F. Y.
(Evaluation of the level of mucopolysaccharides in serum in bilharziasis) . . 371
KHAFAGY, E. Z. I., SHALABY, F. Y.
(Urinary arylsulfatases in bilharziasis) 298
KLEIHAUER, E. see Kohne, E. 285
KLEINER, H., BROUET-YAGER, M.
(Separation of L-cystinyl-di-β-naphthylamine hydrolase ('oxytocinase') isoenzymes by acrylamide gel electrophoresis of human pregnancy sera) 177
KOHN, J. see GERRARD, J. 243
KOHNE, E., KLEIHAUER, E., STÖFFLER, G.
(Eine einfache Methode zur Kettentrennung von Hämoglobin auf der Mikrozonen-elektrophorese) 285
KOLB, F. O. see CHING, K.-N. 383
KONTTINEN, A. see SOMER, H. 133
KOPPEL, J. L. see EXNER, T. 347
KOSTER, J. F., SLEE, R. G., HÜLSMANN, W. C., NIERMEIJER, M. F.
(The electrophoretic pattern and activities of acid- and neutral maltase of cultivated fibroblasts and amniotic fluid cells from controls and patients with the variant of glycogen storage disease Type II (Pompe's disease) . . . 294
KWIATOWSKA, J., ZATOŃSKI, W., BARANOWSKI, T.
(Erythrocyte phosphofructokinase alterations in polycythemia vera) 101
LAIRON, D. see AMIC, J. 107
LALLIER, J. C. see ADESSI, G. 399
LARSEN, A. see OUTCH, K. F. 377
LARSEN, N.-E., NAESTOFT, J., HVIDBERG, E.
(Rapid routine determination of some anti-epileptic drugs in serum by gas chromatography) 171
LAUWERYS, R., DELBROECK, R., VENS, M.D.
(Automated analysis of delta-aminolaevulinic acid in urine) 443
LINDGÄRDE, F.
(Potentiometric determination of serum ionized calcium in a normal human population) 477
LITTLE, A. see Melley, D. 273
MAKIN, H. L. J. see TRAFFORD, D. J. H. . 421

MARCH, S. E. see SMITH, I. 415
MAREN, T. H. see VOGH, B. P. 431
MARINEK, R. G.
(A rapid ultraviolet spectrophotometric lactic dehydrogenase assay). 91
MARKLOVÁ, E., HAIS, I. M.
(A method for the estimation of indolylacryloylglycine in urine) 455
MASAREI, J. R. see BALAZS, N. D. H. . . 213
MAURER, H. R., ALLEN, R. C.
(Polyacrylamide gel electrophoresis in clinical chemistry: problems of standardization and performance). 359
MCCRAE, W. M. see BUTTERWORTH, J. . . 139
MCGREGOR, F., PHILLIPS, G., ROMSDAHL, M. M.
(Analysis of urinary 5-hydroxyindoleacetic acid by thin layer chromatography: elimination of interference by glyceryl guaiacolate) 59
MELISSINOS, K., DRIVAS, G., VLASSOPOULOS, K.
(LDH activity of red cells in chronic renal failure) 165
MELLEY, D., LITTLE, A., ROTHFIELD, R. D.
(An early warning clot detector for the SMA 12/60) 273
MIEDMA, K., BOELHOWER, J., OTTEN, J. W.
(Determinations of proteins and hormones in serum by an immunoassay using antigen-enzyme conjugates). . . 187
MIYAZAKI, S., OKUMURA, M.
(Change of serum γ-glutamyl transpeptidase level and isoenzyme pattern in hepatobillary pancreatic disease) . . 193
MOORE, A. L. see COONEY, D. A. 249
MOSS, D. W., SHAKESPEARE, M. J., THOMAS, D. M.
(Observations on the heat-stability of alkaline phosphatase isoenzymes in serum). 35
MUEGGO, M. see ALLEGRI, G. 258
NAESTOFT, J. see LARSEN, N.-E. 171
NEGOITA, C. see BONNICHSEN, R. 309
NEUBERGER, PH. see VATIER, J. 391
NIERMEIJER, M. F. see KOSTER, J. F. . . 294
NYSSEN, M. see PICCARDI, G. 219
ÖCKERMAN, P. A. see ERIKSSON, Ö. . . . 181
OKUMARA, M. see MIYAZAKI, S. 193
OSMAN, H. G. see KHAFAGY, E. Z. . . . 371
OTTEN, J. W. see MIEDMA, K. 187
OUTCH, K. F., DENNIS, P. M., LARSEN, A.
(A rapid method for the estimation of oestrogens in non-pregnancy urine) . . 377
PARKINSON, C. E., GAL, I.
(Factors affecting the laboratory management of human serum and liver vitamin A analyses). 83
PEARSON, C. M. see KAR, N. C. 262
PEARSON, C. M. see KAR, N. C. 341
PESCE, A. J., BOREISHA, I., POLAK, V. E.
(Rapid differentiation of glomerular and tubular proteinuria by sodium dodecyl sulfate polyacrylamide gel electrophoresis) 27
PFEIFFER, H. see GUPTA, D. 205
PHILLIPS, G. see MCGREGOR, F. 59
PHILLIPS, J. see TOCCI, P. M. 449
PICCARDI, G., NYSSEN, M., DORCHE, J.
(Détermination du fer at de la capacité totale de fixation dans le sérum humain par une méthode sans deprotéinisation) 219
POLAK, V. E. see PESCE, A. J. 27
POLE, D. J. see BALAZS, N. D. H. 213
RABINOWITZ, M. see SCHEN, R. J. 53
RAMACHANDRAN, M., IYNER, G. Y. N.
(Purine nucleoside phosphorylase activity of human erythrocytes in iron deficiency anaemia). 281
RANDALL, Z. C. see ROSE, D. P. 276
REED, A. H.
(Misleading correlations in clinical applications) 266
RIETRA, P. J. G. M., TAGER, J. M., DE GROOT, W. P.
(Detection of fabry hemizygotes and heterozygotes by measurement of α-galactosidase in urine) 229
ROMSDAHL, M. M. see MCGREGOR, F. . . 59
ROSE, D. P., RANDALL, Z. C.
(Tryptophan metabolism in early and advanced breast cancer and carcinoma of the cervix). 276
ROTHFIELD, R. D. see MELLEY, D. . . . 273
ROUSSELET, F. see DUGUE, M. 301
RUTHVEN, C. R. J. see GOODWIN, B. L. . 269
RYHAGE, R. see BONNICHSEN, R. 309
SAGER, R. see TOCCI, P. M. 449
SANDLER, M. see GOODWIN, B. L. 269
SCHEN, R. J., RABINOWITZ, M.
(Clinical significance of abnormally shaped IgM arcs in serum immunoelectrophoresis) 53
SCOTT, F. see BUTTERWORTH, J. 139
SKILLEN, A. W., FIFIELD, R. D., SHERAIDAH, G. S.
(Serum alkaline phosphatase isoenzyme patterns in disease) 21
SHAKESPEARE, M. J. see MOSS, D. W. . . 35
SHALABY, F. Y. see KHAFAGY, E. Z. I. . . 298
SHALABY, F. Y. see KHAFAGY, E. Z. I. . . 371
SHARP, P.
(Interference in glucose oxidase-peroxidase blood glucose methods). 115
SHERAIDAH, G. S. see SKILLEN, A. W. . . 21
SLEE, R. G. see KOSTER, J. F. 294
SMITH, I. see DAYMAN, J. 335
SMITH, I., KELLOW, A. H.
(The estimation of true urinary tyramine in man) 353
SMITH, I., MARCH, S. E., GORDON, A. J.
(Tyramine Metabolism. A method for the quantitative extraction of radioactive tyramine and its metabolites from urine) 415
SMITH, M. J. see DAYMAN, J. 335
SOMER, H., KONTTINEN, A.
(Demonstration of serum creatine kinase isoenzymes by fluorescence technique). 133

SONNTAG, A. C. see VOGH, B. P. 431
STÖFFLER, G. see KOHNE, E. 285
STOKKE, O. see ELDJARN, E. 461
TAGER, J. M. see RIETRA, P. J. G. M. . . 229
TAKAHASHI, Y. see HIGASHINO, K. . . . 67
DEN TANDT, W. R.
(Acid hydrolases in uncultured amniotic fluid cells) 199
TICHÝ, M. see HRNČIŘ, Z. 237
THOMAS, D. M. see MOSS, D. W. 35
TISELIUS, H.-G.
(A chromatographic separation of the different forms of vitamin B_6) 319
TIXIER, R. see DUGUE, M. 301
TOCCI, P. M., PHILLIPS, J., SAGER, R.
(The effect of diet upon the excretion of parahydroxyphenylacetic acid and creatinine in man) 449
TRAFFORD, D. J. H., MAKIN, H. L. J.
(Rapid quantitative gas-chromatographic fractionation of the major urinary 17-oxosteroids and 17-oxogenic steroids) 421
TURNER, M. W. see Gerrard, J. 243
VAŇÁSEK, J. see HRNČIŘ, Z. 237
VATIER, J., NEUBERGER, PH., DUBRASQUET, M., BONFILS, S.
(Isolation and nature of urinary gastrosecretagogue substances in Zollinger-Ellison syndrome and in pernicious anaemia) 391
VENS, M. D. see LAUWERYS, R. 443
VLASSOPOULOS, K. see MELISSINOS, K. . . 165
VOGH, B. P., GARG, L. C., SONNTAG, A. C., MAREN, T. H.
(4,4′-diformamidodiphenylsulfone (DFD): analysis of plasma and urine for unsubstituted arylamine in the presence of metabolites and acid-labile substituents on the parent compound) . . . 431
WINKELMAN, J. W. see WYBENGA, D. R. 121
WYBENGA, D. R., IBBOTT, F. A., WINKELMAN, J. W.
(The indirect confirmation of hyperlipoproteinemia phenotypes II, III and IV) 121
YAMAMURA, Y. see HIGASHINO, K. 67
YAMAMURA, Y. see HIGASHINO, K. . . . 305
ZATOŃSKI, W. see Kwiatowska, J. 101
ZHAGATS, R. see COONEY, D. A. 249
ZIMPRICH, H. see GUPTA, D. 205

CLINICA CHIMICA ACTA Vol. 40 (1972)

SUBJECT INDEX

Acetone as solvent in flame-photometric determination of lithium in serum (DENSWIL, DETMERS) 129

Aciduria, pyroglutamic: studies on the enzymic block and on the metabolic origin of pyroglutamic acid (ELDJARN, JELLUM, STOKKE) 461

Acrylamide–agarose gel, identification of protein fractions separated by electrophoresis of human serum on (DUGUE, BOSCHETTI, TIXIER, ROUSSELET, GIRARD) 301

Acrylamide gel electrophoresis of human pregnancy sera, separation of L-cystinyl-di-β-naphthylamine hydrolase ('oxytocinase') isoenzymes by (KLEINER, BROUET-YAGER) 177

Acyl phosphatase in normal and diseased human muscle (KAR, PEARSON) . . . 262

Aldopentoses and fucose, free, rates of urinary excretion of, by fasting healthy adults: effects of ingested pentose-containing foods (BELL, TALUKDER) . . . 13

Alkaline phosphatase, serum, isoenzyme patterns in disease (SKILLEN, FIFIELD, SHERAIDAH) 21

Alkaline phosphatase, studies on a variant, in sera of patients with hepatocellular carcinoma (HIGASHINO, HASHINOTSUME, KANG, TAKAHASHI, YAMAMURA) . . . 67

α-galactosidase in urine, detection of fabry hemizygotes and heterozygotes by measurement of (RIETRA, TAGER, DE GROOT) 229

Amniotic fluid cells, acid hydrolases in uncultured (DEN TANDT) 199

Amniotic fluid cells from controls, electrophoretic pattern and activities of acid- and neutral maltase of cultivated fibroblasts and, and patients with the variant of glycogen storage disease Type II (Pompe's disease) (KOSTER, SLEE, HÜLSMANN, NIERMEIJER) 294

Anaemia, iron deficiency, purine nucleoside phosphorylase activity of human erythrocytes in (RAMACHANDRAN, IYNER) 281

Androgens, urinary, under stimulation-suppression tests in children with gonadal dysgenesis (GUPTA, PFEIFFER, ZIMPRICH) 205

Androstenedione in human female plasma by competitive protein binding, a method for the assay of testosterone and (ANDRÉ, JAMES) 325

Anti-epileptic drugs, some, rapid routine determination of, in serum by gas chromatography (LARSEN, NAESTOFT, HVIDBERG) 171

Aromatic amides, chemical conversions of, during electrolytic desalting (DAYMAN, COULSON, SMITH, SMITH, JEPSON) . . . 335

Arylamine in the presence of metabolites and acid-labile substituents on the parent compound, analysis of plasma and urine for unsubstituted. 4,4′-diformamidodiphenylsulfone (DFD) (VOGH, GARG, SONNTAG, MAREN) 431

Arylsulfatases, urinary, in bilharziasis (KHAFAGY, SHALABY) 298

L-Asparaginase in electropherograms, a colorimetric technique for the demonstration of (COONEY, MOORE, ZHAGATS) . . 249

Atomic absorption spectrophotometry, determination of gold in body fluids by (BALAZS, POLE, MASAREI) 213

Bilharziasis, urinary arylsulfatases in (KHAFAGY, SHALABY) 298

Blood glucose methods, glucose oxidase-peroxidase, interference in (SHARP) . . 115

Burns, severe, a non-immunoglobulin γ-protein of human serum present in increased amounts in patients with (GERRARD, KOHN, TURNER) 243

Calcium, potentiometric determination of serum ionized, in a normal human population (LINDGÄRDE) 477

Cancer, breast, tryptophan metabolism in early and advanced, and carcinoma of the cervix (ROSE, RANDALL) 276

Carcinoma, hepatocellular, studies on a variant alkaline phosphatase in sera of patients with (HIGASHINO, HASHINOTSUME, KANG, TAKAHASHI, YAMAMURA) 67

Carcinoma of the cervix, tryptophan metabolism in early and advanced breast cancer and (ROSE, RANDALL) 276

Chromatographic fractionation, rapid quantitative gas, of the major urinary

17-oxosteroids and 17-oxogenic steroids (TRAFFORD, MAKIN) 421
Chromatographic separation of hemoglobins A_2 and C. The quantities of hemoglobin A_2 in patients with AC trait, CC disease and C-β-thalassemia (HUISMAN) 159
Chromatographic separation, a, of the different forms of vitamin B_6 (TISELIUS) . 319
Chromatography, gas–mass spectrometry, identification of methaqualone metabolites from urine extract by (BONNICHSEN, FRI, NEGOITA, RYHAGE) 309
Chromatography, sequential thin layer, of urinary acidic glycosaminglycans (HUMBEL, CHAMOLES) 290
Clot detector for the SMA 12/60, an early warning (MELLEY, LITTLE, ROTHFIELD) 273
Clotting time, fibrinogen, an improved method for determining the (EXNER, KOPPEL) 347
Colorimetric technique, a, for the demonstration of L-asparaginase in electropherograms (COONEY, MOORE, ZHAGATS) . 249
Correlations, misleading, in clinical applications (REED) 266
Creatine kinase isoenzymes, serum, demonstration of, by fluorescence technique (SOMER, KONTTINEN) 133
Creatinine in man, the effect of diet upon the excretion of parahydroxyphenylacetic acid and (TOCCI, PHILLIPS, SAGER) 449
Cystic fibrosis patients, lysosomal enzymes of cultured fibroblasts of (BUTTERWORTH, SCOTT, MCCRAE, BAIN) 139
Delta-aminolaevulinic acid in urine, automated analysis of (LAUWERYS, DELBROECK, VENS) 443
Desalting, electrolytic, chemical conversions of aromatic amides during (DAYMAN, COULSON, SMITH, SMITH, JEPSON) 335
Diet, the effect of, upon the excretion of parahydroxyphenylacetic acid and creatinine in man (TOCCI, PHILLIPS, SAGER) 449
4,4′-Diformamidodiphenylsulfone (DFD): analysis of plasma and urine for unsubstituted arylamine in the presence of metabolites and acid-labile substituents on the parent compound (VOGH, GARG, SONNTAG, MAREN) 431
Electrolytic desalting, chemical conversions of aromatic amides during (DAYMAN, COULSON, SMITH, SMITH, JEPSON) 335
Electropherograms, a colorimetric technique for the demonstration of L-asparaginase in (COONEY, MOORE, ZHAGATS) . 249
Electrophoresis, acrylamide gel, of human pregnancy sera, separation of L-cystinyl-di-β-naphthylamine hydrolase ('oxytocinase') isoenzymes by (KLEINER, BROUET-YAGER) 177
Electrophoresis of human serum on acrylamide–agarose gel, identification of protein fractions separated by (DUGUE, BOSCHETTI, TIXIER, ROUSSELET, GIRARD) 301
Electrophoresis, polyacrylamide gel, in clinical chemistry: problems of standardization and performance (MAURER, ALLEN) 359
Electrophoresis, sodium dodecyl sulfate polyacrylamide gel, rapid differentiation of glomerular and tubular proteinuria by (PESCE, BOREISHA, POLAK) 27
Electrophoretic pattern and activities of acid- and neutral maltase of cultivated fibroblasts and amniotic fluid cells from controls and patients with the variant of glycogen storage disease Type II (Pompe's disease) (KOSTER, SLEE, HÜLSMANN, NIERMEIJER) 294
Erythrocytes, human, purine nucleoside phosphorylase activity of, in iron deficiency anaemia (RAMACHANDRAN, IYNER) 281
Erythrocyte phosphofructokinase alterations in polycythemia vera (KWIATOWSKA, ZATOŃSKI, BARANOWSKI) 101
Fasting, healthy adults, rates of urinary excretion of free aldopentoses and fucose by: effects of ingested pentose-containing foods (BELL, TALUKDER) 13
Fibrinogen clotting time, an improved method for determining the (EXNER, KOPPEL) 347
Flame-photometric determination of lithium in serum, acetone as solvent in (DENSWIL, DETMERS) 129
Fluorescence technique, demonstration of serum creatine kinase isoenzymes by (SOMER, KONTTINEN) 133
Fucose, rates of urinary excretion of free aldopentoses and, by fasting, healthy adults: effects of ingested pentose-containing foods (BELL, TALUKDER) 13
γ-protein, a non-immunoglobulin, of human serum present in increased amounts in patients with severe burns (GERRARD, KOHN, TURNER) 243
Gas-chromatographic diagnosis of intermittent maple syrup urine disease (branch-chain ketoaciduria) GOMPERTZ, DRAFFAN) 5
Gas-chromatographic fractionation, rapid quantitative, of the major urinary 17-oxosteroids and 17-oxogenic steroids (TRAFFORD, MAKIN) 421
Gas chromatography, rapid routine determination of some anti-epileptic drugs in serum by (LARSEN, NAESTOFT, HVIDBERG) 171
Gas-liquid chromatography, the routine measurement of urinary 17-oxosteroids and 17-oxogenic steroids using, (CROOK) 43
Gas chromatography–mass spectrometry, identification of methaqualone metabolites from urine extract by (BONNICHSEN FRI, NEGOITA, RYHAGE) 309
Gastrosecretagogue substances, urinary, in Zollinger–Ellison syndrome, isolation and nature of, and in pernicious anaemia

(VATIER, NEUBURGER, DUBRASQUET, BONFILS) 391
Gel electrophoresis, acrylamide, of human pregnancy sera, separation of L-cystinyl-di-β-naphthylamine hydrolase ('oxytocinase') isoenzymes by (KLEINER, BROUET-YAGER) 177
Gel electrophoresis, polyacrylamide, in clinical chemistry: problems of standardization and performance (MAURER, ALLEN) 359
GLC-electron capture detection assay of phenolic alcohols, sources of contamination during a (GOODWIN, KAROUM, RUTHVEN, SANDLER) 269
Glycogen storage disease Type II (Pompe's disease), electrophoretic pattern and activities of acid- and neutral maltase of cultivated fibroblasts and amniotic fluid cells from controls and patients with the variant of (KOSTER, SLEE, HÜLSMANN, NIERMEIJER) 294
Glycosaminglycans, urinary acidic, sequential thin layer chromatography of (HUMBEL, CHAMOLES) 290
Gold, determination of, in body fluids by atomic absorption spectrophotometry (BALAZS, POLE, MASAREI) 213
Gonadal dysgenesis, urinary androgens under stimulation-suppression tests in children with (GUPTA, PFEIFFER, ZIMPRICH) 205
Glucose oxidase-peroxidase blood glucose methods, interference in (SHARP) . . . 115
Guaiacolate, glyceryl, elimination of interference by; Analysis of urinary 5-hydroxyindoleacetic acid by thin layer chromatography (McGREGOR, PHILLIPS ROMSDAHL) 59
Haemoglobin chains, a simple method for the separation of, on zone micro-electrophoresis (KOHNE, KLEIHAUER, STÖFFLER) 285
Haemoglobin screening, thin-layer isoelectric focusing for, and its application to haemoglobin malmö (JEPPSON, BERGLUND) 153
Heat-stability of alkaline phosphatase isoenzymes in serum, observations of the (Moss, SHAKESPEARE, THOMAS) 35
Hemizygotes and heterozygotes, detection of fabry, by measurement of α-galactosidase in urine (RIETRA, TAGER, DE GROOT) 229
Hemoglobins A_2 and C, chromatographic separation of. The quantities of hemoglobin A_2 in patients with AC trait, CC disease and C-β-thalassemia (HUISMAN) 159
Hepatobillary pancreatic disease, change of serum γ-glutamyl transpeptidase level and isoenzyme pattern in (MIYAZAKI, OKUMURA) 193
Hepatocellular carcinoma, studies on a variant alkaline phosphatase in sera of patients with (HIGASHINO, HASHINOTSUME, KANG, TAKAHASHI, YAMAMURA) 67
Hepatoma, effect of neuraminic acid removal on the properties of a variant alkaline phosphatase in (HIGASHINO, HASHINOTSUME, YAMAMURA) 305
Heterozygotes, detection of fabry hemizygotes and, by measurement of α-galactosidase in urine (RIETRA, TAGER, DE GROOT) 229
Hodgkin's disease, the influence of simultaneous administration of vitamin B_6 and nicotinamide on tryptophan metabolism in (ALLEGRI, MUGGEO, DE ANTONI, COSTA, CREPALDI) 258
Hydrolases, acid, in normal and diseased human muscle (KAR, PEARSON) 341
5-Hydroxyindoleacetic acid, urinary, analysis of, by thin layer chromatography: elimination of interference by glyceryl guaiacolate (McGREGOR, PHILLIPS, ROMSDAHL) 59
Hyperinsulinuria in patients with renal calculi (CHING, KARAM, CHOY, KOLB, GRODSKY, FORSHAM) 383
Hyperlipoproteinemia phenotypes II, III and IV, the indirect confirmation of (WYBENGA, IBBOTT, WINKELMAN) . . . 121
IgG-L gammapathy, monoclonal, in the synovial fluid in rheumatoid arthritis (HRNČÍŘ, TICHÝ, VAŇÁSEK) 237
IgM arcs, clinical significance of abnormally shaped, in serum immunoelectrophoresis (SCHEN, RABINOWITZ) 53
Immunoassay, an, determinations of proteins and hormones in serum by, using antigen-enzyme conjugates (MIEDMA, BOELHOWER, OTTEN) 187
Immunoelectrophoresis, serum, clinical significance of abnormally shaped IgM arcs in (SCHEN, RABINOWITZ) 53
Immunoglobulin A, serum lactate dehydrogenase isoenzymes linked to (BIEWENGA) 407
Indolylacryloylglycine in urine, a method for the estimation of (MARKLOVÁ, HAIS) 455
Iron-binding and concentration, serum, determination of (PICCARDI, NYSSEN, DORCHE) 219
Iron deficiency anaemia, purine nucleoside phosphorylase activity of human erythrocytes in (RAMACHANDRAN, IYNER) 281
Isoelectric focusing, thin-layer, for haemoglobin screening and its application to haemoglobin malmö (JEPPSON, BERGLUND) 153
Isoenzymes, serum lactate dehydrogenase, linked to immunoglobulin A (BIEWENGA) 407
Ketoaciduria, branch-chain, gas-chromatographic diagnosis of intermittent maple syrup urine disease (GOMPERTZ, DRAFFAN) 5
Lactate dehydrogenase isoenzymes, serum, linked to immunoglobulin A (BIEWENGA) 407
Lactic dehydrogenase assay, a rapid ultraviolet spectrophotometric (MARINEK) . 91
LDH activity of red cells in chronic renal failure (MELISSINOS, DRIVAS, VLASSO-

POULOS) 165
Lithium in serum, acetone as solvent in flame-photometric determination of (DENSWIL, DETMERS) 129
Liver vitamin A analyses, factors affecting the laboratory management of human serum and (PARKINSON, GAL) 83
Lysosomal enzymes of cultured fibroblasts of cystic fibrosis patients (BUTTERWORTH, SCOTT, MCCRAE, BAIN) . . . 139
Maple syrup urine disease, intermittent, (branch-chain ketoaciduria), gas-chromatographic diagnosis of (GOMPERTZ, DRAFFAN) 5
Methaqualone metabolites, identification of, from urine extract by gas chromatography–mass spectrometry (BONNICHSEN, FRI, NEGOITA, RYHAGE) 309
Micro-electrophoresis, zone, a simple method for the separation of haemoglobin chains on (KOHNE, KLEIHAUER, STÖFFLER) 285
Mucopolysaccharides, evaluation of the level of, in serum in bilharziasis (KHAFAGY, OSMAN, EL-RASIKY, SHALABY) . 371
Neuraminic acid removal, effect of, on the properties of a variant alkaline phosphatase in hepatoma (HIGASHINO, HASHINOTSUME, YAMAMURA) 305
Nicotinamide, the influence of simultaneous administration of vitamin B_6 and, on tryptophan metabolism in Hodgkin's disease (ALLEGRI, MUGGEO, DE ANTONI, COSTA, CREPALDI) 258
Oestrogens, a rapid for the estimation of, in non-pregnancy urine (OUTCH, DENNIS, LARSEN) 377
Orthophosphate determination, improved method of (AMIC, LAIRON, HAUTON) . . 107
17-Oxogenic steroids, rapid quantitative gas-chromatographic fractionation of the major urinary 17-oxosteroids and (TRAFFORD, MAKIN) 421
17-Oxogenic steroids, the routine measurement of urinary 17-oxosteroids and, using gas-liquid chromatography (CROOK) 43
17-Oxosteroids and 17-oxogenic steroids, the major urinary, rapid quantitative gas-chromatographic fractionation of (TRAFFORD, MAKIN) 421
17-Oxosteroids and 17-oxogenic steroids, the routine measurement of, using gas-liquid chromatography (CROOK) . . . 43
Oxytocinase isoenzymes, separation of L-cystinyl-di-β-naphthylamine hydrolase, by acrylamide gel electrophoresis of human pregnancy sera (KLEINER, BROUET-YAGER) 177
Pancreatic disease, hepatobillary, change of serum γ-glutamyl transpeptidase level and isoenzyme pattern in (MIYAZAKI, OKUMURA) 193
Parahydroxyphenylacetic acid and creatinine in man, the effect of diet upon the excretion of (TOCCI, PHILLIPS, SAGER) . 449
Pentose-containing foods, effects of ingested: rates of urinary excretion of free aldopentoses and fucose by fasting, healthy adults (BELL, TALUKDER) 13
Phenolic alcohols, sources of contamination during a GLC-electron capture detection assay of (GOODWIN, KAROUM, RUTHVEN, SANDLER) 269
Phosphofructokinase, erythrocyte, alterations in polycythemia vera (KWIATOWSKA, ZATOŃSKI, BARANOWSKI) 101
Plasma acid hydrolases, influence of age and sex on (ERIKSSON, GINSBURG, HULTBERG, ÖCKERMAN) 181
Plasma and serum triglycerides, determination of, with a fully automated method (BJÖRKSTÉN) 143
Plasma and urine, analysis of, for unsubstituted arylamine in the presence of metabolites and acid-labile substituents on the parent compound: 4,4′-diformamidodiphenylsulfone (DFD) (VOGH, GARG, SONNTAG, MAREN) 431
Plasma, human female, a method for the assay of testosterone and androstenedione in, by competitive protein binding (ANDRÉ, JAMES) 325
Polyacrylamide gel electrophoresis in clinical chemistry: problems of standardization and performance (MAURER, ALLEN) 359
Polycythemia vera, erythrocyte phosphofructokinase alterations in (KWIATOWSKA, ZATOŃSKI, BARANOWSKI) 101
Pompe's disease. The electrophoretic pattern and activities of acid- and neutral maltase of cultivated fibroblasts and amniotic fluid cells from controls and patients with the variant of glycogen storage disease Type II (KOSTER, SLEE, HÜLSMANN, NIERMEIJER) 294
Potentiometric determination of serum ionized calcium in a normal human population (LINDGÄRDE) 477
Pregnancy sera, human, separation of L-cystinyl-di-β-naphthylamine hydrolase ('oxytocinase') isoenzymes by acrylamide gel electrophoresis of (KLEINER, BROUET-YAGER) 177
Pregnanediol in urine, rapid and specific method for the evaluation of (ADESSI, GOUTTE, LALLIER, JAYLE) 399
Proteinuria, rapid differentiation of glomerular and tubular, by sodium dodecyl sulfate polyacrylamide gel electrophoresis (PESCE, BOREISHA, POLAK) 27
Purine nucleoside phosphorylase activity of human erythrocytes in iron deficiency anaemia (RAMACHANDRAN, IYNER) . . 281
Pyroglutamic aciduria: studies on the enzymic block and on the metabolic origin of pyroglutamic acid (ELDJARN, JELLUM, STOKKE) 461
Red cells, LDH activity of, in chronic renal failure (MELISSINOS, DRIVAS,

VLASSOPOULOS) 165
Renal calculi, hyperinsulinuria in patients with renal (CHING, KARAM, CHOY, KOLB, GRODSKY, FORSHAM) 383
Renal failure, chronic, LDH activity of red cells in (MELISSINOS, DRIVAS, VLASSOPOULOS) 165
Rheumatoid arthritis, monoclonal IgG-L gammapathy in the synovial fluid in (HRNČÍŘ, TICHÝ, VAŠÁSEK) 237
Sequential thin layer chromatography of urinary acidic glycosaminglycans (HUMBEL, CHAMOLES) 290
Serum alkaline phosphatase isoenzyme patterns in disease (SKILLEN, FIFIELD, SHERAIDAH) 21
SMA 12/60, an early warning clot detector for the (MELLEY, LITTLE, ROTHFIELD) . 273
Spectrometry, gas chromatography–mass, identification of methaqualone metabolites from urine extract by (BONNICHSEN, FRI, NEGOITA, RYHAGE) 309
Spectrophotometric lactic dehydrogenase assay, a rapid ultraviolet (MARINEK) . . 91
Spectrophotometry, atomic absorption, determination of gold in body fluids by (BALAZS, POLE, MASAREI) 213
Synovial fluid, the, in rheumatoid arthritis, monoclonal IgG-L gammapathy in (HRNČÍŘ, TICHÝ, VAŠÁSEK) 237
Testosterone, a method for the assay of, and androstenedione in human female plasma by competitive protein binding (ANDRÉ, JAMES) 325
Thin layer chromatography, analysis of urinary 5-hydroxyindoleacetic acid by: elimination of interference by glyceryl guaiacolate (MCGREGOR, PHILLIPS, ROMSDAHL) 59
Thin layer chromatography, sequential, of urinary acidic glycosaminglycans (HUMBEL, CHAMOLES) 290
Thin-layer isoelectric focusing for haemoglobin screening and its application to haemoglobin malmö (JEPPSON, BERGLUND) 153
Triglycerides, plasma and serum, determination of, with a fully automated method (BJÖRKSTÉN) 143
Tryptophan metabolism in Hodgkin's disease, the influence of simultaneous administration of vitamin B_6 and nicotinamide on (ALLEGRI, MUGGEO, DE ANTONI, COSTA, CREPALDI) 258
Tryptophan metabolism in early and advanced breast cancer and carcinoma of the cervix (ROSE, RANDALL) 276
Tyramine metabolism. A method for the quantitative extraction of radioactive tyramine and its metabolites from urine (SMITH, MARCH, GORDON) 415
Tyramine, urinary, in man, the estimation of true (SMITH, KELLOW) 353
Ultraviolet spectrophotometric lactic dehydrogenase assay, a rapid (MARINEK) . 91
Urinary acidic glycosaminglycans, sequential thin layer chromatography of (HUMBEL, CHAMOLES) 290
Urinary androgens under stimulation-suppression tests in children with gonadal dysgenesis (GUPTA, PFEIFFER, ZIMPRICH) 205
Urinary arylsulfatases in bilharziasis (KHAFAGY, SHALABY) 298
Urinary excretion, rates of, of free aldopentoses and fucose by fasting healthy adults: effects of ingested pentose-containing foods (BELL, TALUKDER) . . . 13
Urinary gastrosecretogogue substances in Zollinger–Ellison syndrome, isolation and nature of, and in pernicious anaemia (VATIER, NEUBURGER, DUBRASQUET, BONFILS) 391
Urinary 5-hydroxyindoleacetic acid, analysis of, by thin layer chromatography: elimination of interference by glyceryl guaiacolate (MCGREGOR, PHILLIPS, ROMSDAHL) 59
Urinary 17-oxosteroids and 17-oxogenic steroids, major, rapid quantitative gas-chromatographic fractionation of the (TRAFFORD, MAKIN) 421
Urinary 17-oxosteroids and 17-oxogenic steroids, the routine measurement of, using gas-liquid chromatography (CROOK) 43
Urinary tyramine in man, the estimation of true (SMITH, KELLOW) 353
Urine, analysis of plasma and, for unsubstituted arylamine in the presence of metabolites and acid-labile substituents on the parent compound. 4,4′-diformamidodiphenylsulfone (DFD) (VOGH, GARG, SONNTAG, MAREN) 431
Urine, a method for the estimation of indolylacryloylglycine in (MARKLOVÁ, HAIS) 455
Urine, a method for the quantitative extraction of radioactive tyramine and its metabolites from. Tyramine metabolism (SMITH, MARCH, GORDON) 415
Urine, automated analysis of delta-aminolaevulinic acid in (LAUWERYS, DELBROECK, VENS) 443
Urine, detection of fabry hemizygotes and heterozygotes by measurement of α-galactosidase in (RIETRA, TAGER, DE GROOT) 229
Urine disease, maple syrup, (branch-chain ketoaciduria) the gas-chromatographic diagnosis of (GOMPERTZ, DRAFFAN) . . 5
Urine extract by gas chromatography–mass spectrometry, identification of methaqualone metabolites from (BONNICHSEN, FRI, NEGOITA, RYHAGE) . . . 309
Urine, non-pregnancy, a rapid method for the estimation of oestrogens in (OUTCH, DENNIS, LARSEN) 377
Urine, pregnanediol in, rapid and specific method for the evaluation of (ADESSI,

GOUTTE, LALLIER, JAYLE) 399
Vitamin A analyses, liver, factors affecting the laboratory management of human serum and (PARKINSON, GAL) 83
Vitamin B_6, a chromatographic separation of the different forms of (TISELIUS) . . 319
Vitamin B_6 and nicotinamide, the influence of simultaneous administration of, on tryptophan metabolism in Hodgkin's disease (ALLEGRI, MUGGEO, DE ANTONI, COSTA, CREPALDI) 258
Zollinger–Ellison syndrome, isolation and nature of urinary gastrosecretagogue substances in, and in pernicious anaemia (VATIER, NEUBURGER, DUBRASQUET, BONFILS) 391

Errata

May-Volume 38, No. 2:

p. 371, line 4 – read Stoffwechsel, *not* Stiffwechsel.

p. 372, line 14 – read excretion, *not* excretoin.

p. 372, line 40 – read where *there* is any uncertainty...

p. 375, line 22 – read all of whom *were* hospitalised...

BLANK
PAGE